#### **BLUE BIRD LABELING**

# chlortetracycline hydrochloride FC

# Type C Medicated Cattle Free Choice Mineral Feed

CAUTION: Federal law restricts medicated feed containing this veterinary feed directive (VFD) drug to use by or on the order of a licensed veterinarian.

For beef and non-lactating dairy cattle: as an aid in the control of active infection of anaplasmosis caused by Anaplasma marginale susceptible to chlortetracycline.

### **Active Drug Ingredient**

Chlortetracycline*	6,000 g/ton
Guaranto	eed Analysis
Calcium <sup>a</sup> (Min)	%
Calcium <sup>a</sup> (Min)	%
Phosphorus <sup>a</sup> (Min)	%
Salt <sup>a</sup> (Min)	
Phosphorus <sup>a</sup> (Min)	<sup></sup> %
Sodium <sup>b</sup> (Min)	
Sodium <sup>b</sup> (Max)	
Magnesium (Min)	<u> </u>
Potassium <sup>a</sup> (Min)	
Copper <sup>a</sup> (Min)	ppm or % <sup>c</sup>
Seleniuma (Min)	ppm or % <sup>c</sup>
Zinc <sup>a</sup> (Min)	ppm or % <sup>c</sup>

#### Ingredients

IU/lb

This free-choice medicated feed is required to be manufactured according to the formula and/or specifications published in 21 CFR 558.128(e)(6)(i) as follows:

		International
Ingredient	Percent	Feed No.
Dicalcium Phosphate	46.20	6-26-335
Sodium Chloride (Salt)	15.00	6-04-152
Magnesium Oxide	10.67	6-02-756
Cottonseed Meal	10.00	5-01-625
Trace Mineral/Vitamin Premix <sup>a</sup>	3.80	
Calcium Carbonate	3.50	6-01-069
Dried Cane Molasses	3.00	4-04-695
Potassium Chloride	2.00	6-03-755
Mineral Oil	2.00	8-03-123
Iron Oxide	0.50	6-02-431
Chlortetracycline Type A medicated	3.33	
article (90 gram/lb)		

Content of vitamin and trace mineral premixes may be varied. However, they should be comparable to those used for other free-choice feeds. Selenium must comply with 21 CFR 573.920. Ethylenediamine dihydroiodide (EDDI) should comply with FDA Compliance Policy Guides Sec. 651.100 (CPG 7125.18).

Formulation modifications require FDA approval prior to marketing. The final printed label should name all the ingredients using their common and usual names, (e.g. dicalcium phosphate, sodium chloride (salt), magnesium oxide, cottonseed meal. calcium carbonate, dried cane molasses, potassium chloride, mineral oil, plus the names of all vitamins and other trace minerals added to the supplement by the manufacturer within the limits of the formula).

#### **Feeding Directions**

Feed a non-medicated mineral supplement for 14 days prior to feeding Blue Bird Deracin FC, then feed Blue Bird Deracin FC continuously on a free choice basis. Pasture and roughage should be adequate to assure consumption of 0.0027 to 0.011 oz/lb body weight/day of this product, which will provide 0.5 to 2.0 mg chlortetracycline per lb body weight per day. If cattle consume more or less than these amounts, move feeder further or closer to the general resting or watering areas. If consumption of the Blue Bird Deracin FC is greater than 0.011 oz/lb body weight per day after moving the feeder further from general resting or watering areas, provide salt in a separate feeder to help decrease consumption of Blue Bird Deracin FC.

#### Warning

A withdrawal period has not been established for this product in pre-ruminating calves. Do not use in calves to be processed for veal.

#### Manufactured By:

Blue Bird Feed Mill City, State, Zip

## **NET WEIGHT ON BAG OR BULK**

Vitamin A<sup>a</sup> (Min)..... a Guarantee required only when nutrient added except when the feed is intended, represented or serves as a principal source of the nutrient.

<sup>&</sup>lt;sup>b</sup> Sodium guarantee required only when total sodium exceeds that furnished by the maximum salt guarantee.

<sup>&</sup>lt;sup>c</sup> Guarantee shall be stated in ppm when less than 10,000 ppm and in percentage when concentration is 10,000 ppm (1%) or greater.

<sup>\*</sup>Deracin is the trade name of chlortetracycline hydrochloride formulation (Type A Medicated Article).