

Date of Approval: July 6, 2023

FREEDOM OF INFORMATION SUMMARY
ORIGINAL ABBREVIATED NEW ANIMAL DRUG APPLICATION

ANADA 200-752

DexmedVet™

(dexmedetomidine hydrochloride)

Sterile injectable solution

Dogs and cats

DexmedVet™ is indicated for use as a sedative and analgesic in dogs and cats to facilitate clinical examinations, clinical procedures, minor surgical procedures, and minor dental procedures. DexmedVet™ is also indicated for use as a preanesthetic to general anesthesia in dogs and cats.

Sponsored by:

Cronus Pharma Specialities India Private Ltd.

Table of Contents

I. GENERAL INFORMATION	3
II. BIOEQUIVALENCE.....	4
III. HUMAN FOOD SAFETY	5
IV. USER SAFETY	5
V. AGENCY CONCLUSIONS.....	5

I. GENERAL INFORMATION

A. File Number

ANADA 200-752

B. Sponsor

Cronus Pharma Specialities India Private Ltd.,
Sy No-99/1, M/s GMR Hyderabad Aviation SEZ Ltd.,
Mamidipalli Village, Shamshabad Mandal,
Ranga Reddy, Hyderabad, Telangana, 501218, India

Drug Labeler Code: 069043

C. Proprietary Name

DexmedVet™

D. Drug Product Established Name

dexmedetomidine hydrochloride

E. Pharmacological Category

Alpha₂-adrenoreceptor agonist

F. Dosage Form

Sterile injectable solution

G. Amount of Active Ingredient

0.5 mg/mL

H. How Supplied

10 mL multidose vials

I. Dispensing Status

Prescription (Rx)

J. Dosage Regimen

Dogs: Sedation and Analgesia: 500 mcg/m² intramuscularly (IM) or 375 mcg/m² intravenously (IV). Preanesthesia: 125 or 375 mcg/m² IM.

Cats: Sedation, Analgesia and Preanesthesia: 40 mcg/kg IM.

K. Route of Administration

Dogs: Intramuscular and intravenous

Cats: Intramuscular

L. Species/Class

Dogs and cats

M. Indications

DexmedVet™ is indicated for use as a sedative and analgesic in dogs and cats to facilitate clinical examinations, clinical procedures, minor surgical procedures, and minor dental procedures. DexmedVet™ is also indicated for use as a preanesthetic to general anesthesia in dogs and cats.

N. Reference Listed New Animal Drug (RLNAD)

DEXDOMITOR®; dexmedetomidine hydrochloride; NADA 141-267; Orion Corp.

II. BIOEQUIVALENCE

The Federal Food, Drug, and Cosmetic Act (FD&C Act), as amended by the Generic Animal Drug and Patent Term Restoration Act (GADPTRA) of 1988, allows for an abbreviated new animal drug application (ANADA) to be submitted for a generic version of an approved new animal drug (RLNAD). The ANADA sponsor is required to show that the generic product is bioequivalent to the RLNAD, which has been shown to be safe and effective. Effectiveness, target animal safety and human food safety data (other than tissue residue data) are not required for approval of an ANADA. If bioequivalence is demonstrated through a clinical endpoint study in a food-producing animal, then a tissue residue study to establish the withdrawal period for the generic product is also required. For certain dosage forms, the agency will grant a waiver from the requirement to perform *in vivo* bioequivalence studies (biowaiver) (55 FR 24645, June 18, 1990; Fifth GADPTRA Policy Letter; Bioequivalence Guideline, October 9, 2002).

Based on the formulation characteristics of the generic product, Cronus Pharma Specialities India Private Ltd., was granted a biowaiver for the generic product DexmedVet™ (dexmedetomidine hydrochloride) sterile injectable solution. The generic drug product is an injectable solution, contains the same active ingredient in the same concentration and dosage form as the RLNAD, and contains no inactive ingredients that may significantly affect the bioavailability of the active ingredient. The RLNAD is DEXDOMITOR® (dexmedetomidine hydrochloride) sterile injectable solution, sponsored by Orion Corp., under NADA 141-267, and was approved for use in dogs on December 1, 2006, and approved for use in cats for use as a sedative and analgesic to facilitate clinical examinations, clinical procedures, minor surgical procedures, and minor dental procedures on September 7, 2007, and for use as a preanesthetic to general anesthesia on August 16, 2010.

III. HUMAN FOOD SAFETY

This drug is intended for use in dogs and cats. Because this new animal drug is not intended for use in food-producing animals, CVM did not require data pertaining to drug residues in food (i.e., human food safety) for approval of this ANADA.

IV. USER SAFETY

The product labeling contains the following information regarding safety to humans handling, administering, or exposed to DexmedVet™:

Human safety: Not for human use. Keep out of reach of children.

Dexmedetomidine hydrochloride can be absorbed following direct exposure to skin, eyes, or mouth, and may cause irritation. In case of accidental eye exposure, flush with water for 15 minutes. In case of accidental skin exposure, wash with soap and water. Remove contaminated clothing.

Appropriate precautions should be taken while handling and using filled syringes. Accidental topical (including ocular) exposure, oral exposure, or exposure by injection could cause adverse reactions, including sedation, hypotension, and bradycardia. Seek medical attention immediately.

Users with cardiovascular disease (for example, hypertension or ischemic heart disease) should take special precautions to avoid any exposure to this product.

Caution should be exercised when handling sedated animals. Handling or any other sudden stimuli, including noise, may cause a defense reaction in an animal that appears to be heavily sedated.

The safety data sheet (SDS) contains more detailed occupational safety information. To report adverse reactions in users or to obtain a copy of the SDS for this product call 1-844-227-6687.

Note to physician: This product contains an alpha₂-adrenergic agonist.

V. AGENCY CONCLUSIONS

The data submitted in support of this ANADA satisfy the requirements of section 512(c)(2) of the FD&C Act. The data demonstrate that DexmedVet™, when used according to the label, is safe and effective for the indications listed in Section I.M. above.